

Drupal 8

Теперь со вкусом Symfony



<http://www.devconf.ru>

Когда я впервые установила Drupal,
моя жизнь изменилась навсегда...

Катя Маршалкина, 26 лет
Senior Drupal Developer



Соотношение добра и зла в зале





План на 25 минут


1. ЦМСка или фреймворк
2. Экспресс-курс по друпалу
3. Лотерея




Выберите цвет




Выберите цвет







Фреймворк



CMS

Выбор архитектуры



Проекты

site1.ru



👁 2531 💬 0 ❤ 0

site2.ru




👁 1865 💬 0 ❤ 0

site3.ru



👁 9344 💬 0 ❤ 0

site4.ru



👁 11103 💬 0 ❤ 3

site5.ru






👁 11150 💬 0 ❤ 2

site6.ru




👁 16471 💬 0 ❤ 5

Веб-разработка



Drupal 8




Drupal 8

1.  Symphony components
2. 
3. 

Symfony components

- [ClassLoader](#)
- [Console](#)
- [CssSelector](#)
- [DependencyInjection](#)
- [EventDispatcher](#)
- [HttpFoundation](#)
- [HttpKernel](#)
- [Process](#)
- [Routing](#)
- [Serializer](#)
- [Translation](#)
- [Validator](#)
- [Yaml](#)



modules/example/src/Controller/ExampleController.php

```
class ExampleController extends ControllerBase {

    /**
     * {@inheritdoc}
     */
    public function content() {
        $build = array(
            '#type' => 'markup',
            '#markup' => t('Hello World!'),
        );
        return $build;
    }

}
```


modules/example/example.routing.yml

```
example.content:  
  path: '/example'  
  defaults:  
    _controller: '\Drupal\example\Controller\ExampleController::content'  
    _title: 'Hello World'  
  requirements:  
    _permission: 'access content'
```


Drupal 8


1.  Symfony components

2.  Drupal traditions

3. 

Drupal Traditions





Explanation

Many do happen, but are not crucial for understanding the flow.

Example 10.17. *Continued.*

Typically, the format will be listed, but it could also be
open, closed, double, joint, full, joint, and more.
See *Samuelson's Request* for more.

[illegible]

10 `GetSystemOrder` returns an array of 16 strings, if
11 there are no more than 16 steps.
12

```

10 # Must construct the features that only handle number arrays
11 # this problem does it as a constraint, then it's up to another VM to
12 # construct the features from a response.

```

12 Model variables may be defined in terms of the available main content
13 variables operators. These are tagged with `mathematics`, `physics`, `biology`,
14 `earth-science` and/or `additional` operators.

† For unsupported format was requested, a PDF document is generated.

Example: `ModelPageHeader` selected.

The page number must already be rendered, because it might not be page 100.

The result of a full page display request is a single 'page' number array.

Book page attachment: open to #Page 10001

Only example-render image of Figure (page)

3) **Readers** the 1 page of the HTML body page (see page page.html)
 4) **Before page** corresponds to `Before page` and `After page` (see page.html)
 5) **After page** corresponds to `After page` and `After page` (see page.html)

¹⁰ While this classification scheme (as well as type responses) at the point-ill
¹¹ contains attachments about theories, reasons... but also observations.

11 `DispatchFunctionWithStrategy` tests if the available glschemes
 12 strategies, those are tagged with glscheme, strategy.
 13 `DispatchFunction` uses additional resources.

Parallel strategies can transfer standard (upper) placeholders
designed for non-deferred rendering into other placeholders, which
may be replaced with the first match using any way possible.
For example: `logFile, 120 ...`

BlogPost is a content module during/after, and likely to be in the future.
See: https://www.blogpost.org/creating_blog_post

Focus of other developmental attachments and issues, if any, already identified: _____

Suppose observations recorded at the end of month, after month t ends.

Examples responses for the path analysis

Drupal Way

1. Build a tool
2. Wire it up



Drupal 8: The Crash Course, Larry Garfield

Что писать в модулях

1. Routing
2. Services
3. Events
4. Entities
5. Plugins
6. Hooks

СУЩНОСТИ

Content Entities

- Customized fields
- Stored in database tables (by default)
- Mostly created on front-end

Examples

- Nodes
- Custom Blocks
- Users
- Comments
- Taxonomy Terms
- Menu Links
- Aggregator Feeds/Items

Config Entities

- Deployed to different environments
- Stored in configuration system
- Mostly created on back-end

Examples

- Content Types
- Custom Block Types
- User Roles
- Views
- Taxonomy Vocabularies
- Menus
- Image Styles

Всё что накликано — коммитабельно!

```
> drupal config:export
```

```
core.entity_form_display.product_entity.product_entity.default.yml
```

```
core.entity_view_display.product_entity.product_entity.default.yml
```

```
field.field.product_entity.product_entity.field_colors.yml
```

```
field.field.product_entity.product_entity.field_image.yml
```

```
field.storage.product_entity.field_colors.yml
```

```
field.storage.product_entity.field_image.yml
```

```
views.view.products.yml
```


Drupal 8

1.  Symphony components
2.  Drupal traditions
3.  Community contributions




Drupal Commerce

Фреймворк во фреймворке 🤯



commerce 
kickstart™



platform 
from **commerce**
guys



Тегированный (умный) кеш

```
$build = array(  
  '#type' => 'markup',  
  '#markup' => t('Hello World!'),  
  '#cache' => [  
    'keys' => ['entity_view', 'node', 5, 'teaser'],  
    'contexts' => ['languages', 'timezone'],  
    'tags' => ["node:5", 'user:3'],  
    'max-age' => Cache::PERMANENT,  
  ],  
);
```

Модуль BigPipe в ядре



А ещё...

- RESTful Web Services
- Migrate
- 100% multilingual
- Twig, Responsive Images, Breakpoints
- Schema.org, RDF
- In-place Editing
- Безопасность: уровень «Паранойя»
- Кроме ядра, огромная база модулей

Почему ещё не на восьмёрке?



Что дальше

1. <https://api.drupal.org/api/drupal/8.1.x> 💪
2. Поставить Drupal, Drush, Drupal Console: <https://github.com/drupal-composer/drupal-project>
3. Читать тесты и <https://www.drupal.org/project/examples>
4. Смотреть видео (скринкасты, конференции)
5. Читать дайджест на Хабре (рассылка <http://eepurl.com/bhCjRb>)
6. То же самое про семёрку: <http://kalabro.github.io/DrupalCMF-2014/>

Drupal™ сертификация

специально для DevConf 2016

Ответь на вопросы и отдай анкету на стенд №14.

Победителя определим на докладе
«Drupal 8: Теперь со вкусом Symfony» (17:15, зал PHP).

Сколько строк кода в Drupal 8 (без тестов)?

- | | |
|------------------------------------|------------------------------------|
| ☐ 10 000 | ☐ 500 000 |
| ☐ 1 000 000 | ☐ 5 000 000 |

Какой библиотеки нет в ядре Drupal 8?

- | | |
|-----------------------------------|--------------------------------|
| ☐ Guzzle | ☐ Twig |
| ☐ Backbone | ☐ Drush |

Что такое Drupalgeddon?

- | | |
|-------------------------------------|--|
| ☐ Компания | ☐ Тема оформления |
| ☐ Уязвимость | ☐ Фильм |

Какой из перечисленных модулей НЕ существует?

- | | |
|---------------------------------|----------------------------------|
| ☐ Crumbs | ☐ Magic |
| ☐ Coffee | ☐ Whiskey |

Правильный ответ только один. Гуглить можно! :)

Твой e-mail:

13

Приходи на доклад 17:15, зал PHP
«Drupal 8: Теперь со вкусом Symfony»

13

Drupal™

это
активное
развивающееся
международное сообщество

102 008 разработчиков

34 600 модулей


2 289 тем оформления

1 049 готовых сборок

Сообщество в России

- Более 500 профессиональных разработчиков
- 6 конференций: Москва, Санкт-Петербург, Новосибирск
- Более 50 локальных встреч в Москве, Санкт-Петербурге, Краснодаре, Новосибирске, Омске, Иркутске

Присоединяйся!



www.drupal.ru

dru.io

Спасибо 🎉!

@kalabro / marshalkina@gmail.com

там будут слайды и
новости про друпал